



SMAD ELECTRIC APPLIANCES CO.,LTD.
NO.2 Heilongjiang South Road, Shibei District, Qingdao, China


Website: https://www.smadgroup.com

Email: info@smad.com.cn
Tel: +86532-86101152
Fax: +86532-86101153











# Ontents

### **Products**

Built-in Refrigerator 01-04 Single Door 02-03 Double Door 04 **Built-in Microwave** 05-08 Built-in Oven 09-13 **Built-in Dishwasher** 14-19 Fully Built-in 15-16 Semi Built-in 17-19

# Sompany Profile

#### Higher Quality Better Life

Qingdao Smad Electric Appliances Co., Ltd. (SMAD) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMAD has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

#### Company Culture

At SMAD we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

#### **Our Vision**

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

#### Social Responsibility

Smad is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance.

We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

#### **Our Mission**

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.



#### Built-in Refrigerator

#### Single Door

#### Single Door





Model	DSL-179DH
Total Capacity(L)	137
Fridge Compartment(L)	137
Freezer Compartment(L)	1
Defrosting	Manual
Certification	CE/CB/GS
Enery Efficiency	European Class E/F(A+/A++)
Refrigerant	R600a
Product(W*D*H)(mm)	595*545*818
Packaging(W*D*H)(mm)	628*570*888
Weight(Net/Gross)(kg)	28/31
Loading (40HQ)(PCS)	230





Model	DSF-133DH
Total Capacity(L)	120
Fridge Compartment(L)	103
Freezer Compartment(L)	17
Defrosting	Manual
Certification	CE/CB/GS
Enery Efficiency	European Class E/F(A+/A++)
Refrigerant	R600a
Product(W*D*H)(mm)	595*545*818
Packaging(W*D*H)(mm)	628*570*888
Weight(Net/Gross)(kg)	30/33
Loading (40HQ)(PCS)	230



Model	DSD-126DH
Total Capacity(L)	95
Fridge Compartment(L)	1
Freezer Compartment(L)	95
Defrosting	Manual
Certification	CE/CB/GS
Enery Efficiency	European Class E/F(A+/A++)
Refrigerant	R600a
Product(W*D*H)(mm)	595*545*818
Packaging(W*D*H)(mm)	628*570*888
Weight(Net/Gross)(kg)	32/35
Loading (40HQ)(PCS)	230



#### Double Door



Model	DDB-312WHE
Total Capacity(L)	240
Fridge Compartment(L)	183
Freezer Compartment(L)	57
Defrosting	Automatic
Certification	CE/GS/CB
Enery Efficiency	European Class A+ /A++
Refrigerant	R600a
Product(W*D*H)(mm)	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875
Weight(Net/Gross)(kg)	53/58
Loading (40HQ)(PCS)	109



Model	DDB-294WHE
Total Capacity(L)	226
Fridge Compartment(L)	148
Freezer Compartment(L)	78
Defrosting	Automatic
Certification	CE/GS/CB
Enery Efficiency	European Class A+
Refrigerant	R600a
Product(W*D*H)(mm)	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875
Weight(Net/Gross)(kg)	54/59
Loading (40HQ)(PCS)	109





Model	DMB90-25LBMG(XG-RR04)
Capacity(L)	25L
Power	220-240V
Voltage/frequency	50HZ
Dimension (mm)	595*395*390
Loading 40 HQ(PCS)	538



Model	DMB90-25LBMG(LXGA-RR04)
Capacity(L)	25L
Power	220-240V
Voltage/frequency	50HZ
Dimension (mm)	595*395*390
Loading 40 HQ(PCS)	538



Model	DMB90-23LBMG(XG-RR04)
Capacity(L)	23L
Power	220-240V
Voltage/frequency	50HZ
Dimension (mm)	595*350*390
Loading 40 HQ(PCS)	604



Model	DMB90-23LBMG(XGA-RR04)
Capacity(L)	23L
Power	220-240V
Voltage/frequency	50HZ
Dimension (mm)	595*350*390
Loading 40 HQ(PCS)	604

6 Smad Built-in Series 2022 Smad Built-in Series 2022



Model	DMB90-23LBMG(LXG-RR04)
Capacity(L)	23L
Power	220-240V
Voltage/frequency	50HZ
Dimension (mm)	595*350*390
Loading 40 HQ(PCS)	604



Model	DMB90-23LBMG(LXGA-RR04)
Capacity(L)	23L
Power	220-240V
Voltage/frequency	50HZ
Dimension (mm)	595*350*390
Loading 40 HQ(PCS)	604





Model	DTB210-70MG(17A)
Capacity(L)	70L
Power	2100W
Voltage/frequency	220-240V/50-60HZ
Dimension (mm)	595*570*595
Loading 40 HQ(PCS)	216



Model	DTB300-65MG(14A)
Capacity(L)	65L
Power	3000W
Voltage/frequency	220-240V/50-60HZ
Dimension (mm)	595*570*595
Loading 40 HQ(PCS)	216



Model	DTB285-68MG(13A)
Capacity(L)	68L
Power	2850W
Voltage/frequency	220-240V/50-60HZ
Dimension (mm)	595*570*595
Loading 40 HQ(PCS)	216



Model	DTB300-65MG(12A)
Capacity(L)	65L
Power	3000W
Voltage/frequency	220-240V/50-60HZ
Dimension (mm)	595*570*595
Loading 40 HQ(PCS)	216

10 | Smad Built-in Series 2022 | 11



Model	DTB300-65EG(11A)
Capacity(L)	65L
Power	3000W
Voltage/frequency	220-240V/50-60HZ
Dimension (mm)	595*570*595
Loading 40 HQ(PCS)	216



Model	DTB90-36EM(6HQ)
Capacity(L)	44L
Power	Microwave:1650W;Grill:1750W
Voltage/frequency	220-240V/50-63HZ
Dimension (mm)	454*595*568
Loading 40 HQ(PCS)	204



Model	DTB175-36EM(TQN)
Capacity(L)	36L
Power	Grill:1200W
Voltage/frequency	220-240V/50-62HZ
Dimension (mm)	454*595*525
Loading 40 HQ(PCS)	204



Model	DTB175-36EM(TR9)
Capacity(L)	36L
Power	Microwave:1550W;Grill:1200W
Voltage/frequency	220-240V/50-61HZ
Dimension (mm)	454*595*525
Loading 40 HQ(PCS)	204

12 | Smad Built-in Series 2022 | 13







Model	DDB12-60BG(411B)
Туре	Fully Built-in
Place sett.	12
Voltage / Frequency	220~240V/50HZ
Energy class	A++AA (259kwh)
No of program	7
Delay time	1 ~ 24H
Approvals	GS/CE/ROHS/CB/REACH
Unit dimensions(W*D*H)(mm)	596*558*815
Packing dimensions(W*D*H)(mm)	656*675*875
Net/Gross weight(Kg)	44/49
Loading Qty(40HQ)(PCS)	162



Model	DDB12-60BG(401B)
Туре	Fully Built-in
Place sett.	12
Voltage / Frequency	220~240V/50HZ
Energy class	A++AA (259kwh)
No of program	6
Delay time	I
Approvals	GS/CE/ROHS/CB/REACH
Unit dimensions(W*D*H)(mm)	596*558*815
Packing dimensions(W*D*H)(mm)	656*675*875
Net/Gross weight(Kg)	44/49
Loading Qty(40HQ)(PCS)	162



## Fully Built-in



Model	DDB12-60BG(A)
Туре	Fully Built-in
Place sett.	12
Voltage / Frequency	220~240V/50HZ
Energy class	A++AA (259kwh)
No of program	5
Delay time	1 ~ 24H
Approvals	GS/CE/ROHS/CB/REACH
Unit dimensions(W*D*H)(mm)	596*558*815
Packing dimensions(W*D*H)(mm)	656*675*875
Net/Gross weight(Kg)	44/49
Loading Qty(40HQ)(PCS)	162



Model	DDB12-60BG ( B )
Туре	Fully Built-in
Place sett.	12
Voltage / Frequency	220~240V/60HZ
Energy class	A++AA (299kwh)
No of program	7
Delay time	1 ~ 24H
Approvals	CE/GS/CB/ROHS/REACH
Unit dimensions(W*D*H)(mm)	596*558*815
Packing dimensions(W*D*H)(mm)	656*675*875
Net/Gross weight(Kg)	37/44
Loading Qty(40HQ)(PCS)	162







Model	DDS14-60BG(S)
Туре	Semi Built-in
Place sett.	14
Voltage / Frequency	220~240V/50HZ
Energy class	A++A (266kwh)
No of program	6
Delay time	1 ~ 24H
Approvals	GS/CE/ROHS/CB/REACH
Unit dimensions(W*D*H)(mm)	596*578*815
Packing dimensions(W*D*H)(mm)	675*656*875
Net/Gross weight(Kg)	44/49
Loading Qty(40HQ)(PCS)	162



Model	DDS14-60TG(M)
Туре	Semi Built-in
Place sett.	14
Voltage / Frequency	220~240V/50HZ
Energy class	A++A (266kwh)
No of program	6
Delay time	1 ~ 24H
Approvals	GS/CE/ROHS/CB/REACH
Unit dimensions(W*D*H)(mm)	596*578*815
Packing dimensions(W*D*H)(mm)	675*656*875
Net/Gross weight(Kg)	44/49
Loading Qty(40HQ)(PCS)	162

16 Smad Built-in Series 2022 17

#### Semi Built-in



Model	DDS14-60TG(K)
Туре	Semi Built-in
Place sett.	14
Voltage / Frequency	220~240V/50HZ
Energy class	A++A (266kwh)
No of program	6
Delay time	1 ~ 24H
Approvals	GS/CE/ROHS/CB/REACH
Unit dimensions(W*D*H)(mm)	596*578*815
Packing dimensions(W*D*H)(mm)	675*656*875
Net/Gross weight(Kg)	44/49
Loading Qty(40HQ)(PCS)	162



Model	DDS12-60TG(K)
Туре	Semi Built-in
Place sett.	12
Voltage / Frequency	220~240V/50HZ
Energy class	A++AA (259kwh)
No of program	6
Delay time	1 ~ 24H
Approvals	GS/CE/ROHS/CB/REACH
Unit dimensions(W*D*H)(mm)	596*578*815
Packing dimensions(W*D*H)(mm)	656*675*875
Net/Gross weight(Kg)	44/49
Loading Qty(40HQ)(PCS)	162





Model	DDS12-60BG(J)
Туре	Semi Built-in
Place sett.	12
Voltage / Frequency	220~240V/50HZ
Energy class	A++AA (259kwh)
No of program	6
Delay time	1 ~ 24H
Approvals	GS/CE/ROHS/CB/REACH
Unit dimensions(W*D*H)(mm)	596*578*815
Packing dimensions(W*D*H)(mm)	656*675*875
Net/Gross weight(Kg)	44/49
Loading Qty(40HQ)(PCS)	162

