



Create Your Life

Smad

SMAD ELECTRIC APPLIANCES CO.,LTD.
NO.2 Heilongjiang South Road, Shibei District, Qingdao, China

Website : <https://www.smadgroup.com>

Email : info@smad.com.cn

Tel : +86532-86101152


Fax : +86532-86101153



Smad

2023 Refrigerator Products

GLOBAL LEADING BRAND
FOR KITCHEN APPLIANCES





C

ontents

Products

1	Multi-Door Series	01-08
	French Door	02-03
	Cross Door	04-05
	Side by Side	06-08
2	Double Door Series	09-16
	Auto Defrost	10-13
	Manual Defrost	14-16
3	Single Door Series	17-24
	Upright Freezer	18-23
	Mini Fridge	23-24
4	Built-in Series	25-28
	Double Door	26-27
	Single Door	28
5	Hotel Fridge	29-34
	Absorption	30-32
	Thermoelectric	33-34
6	Retro Fridge	35-37
	Double Door	35
	Single Door	36

Company Profile

Higher Quality Better Life

Qingdao Smad Electric Appliances Co., Ltd. (SMAD) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMAD has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

Company Culture

At SMAD we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

Our Vision

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

Social Responsibility

Smad is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance.

We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

Our Mission

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.

Multi-Door Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

1

01-08



French Door



Model	DM-766WH	DM-762WH
Total Capacity (L)	600	596
Fridge Compartment(L)	423	419
Freezer Compartment(L)	177	177
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European ClassF	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	914*724*1778	914*724*1778
Packaging(W*D*H)(mm)	952*762*1853	968*778*1891
Weight(Net/Gross kg)	120/134	120/130
Loading (40HQ)(pcs)	36	36



Model	DM-751WH	DM-728WH
Total Capacity (L)	578	560
Fridge Compartment(L)	366	329
Freezer Compartment(L)	151	151
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F	European Class F
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	912*725*1785	912*725*1785
Packaging(W*D*H)(mm)	968*778*1901	968*778*1901
Weight(Net/Gross kg)	102/112	141/152
Loading (40HQ)(pcs)	36	36

French Door



Model	DM-523W3	DM-632WH
Total Capacity (L)	492	486
Fridge Compartment(L)	327	337
Freezer Compartment(L)	165	149
Defrosting	Automatic	Automatic
Certification	CE/CB/SASO	CE/GS/CB
Energy Efficiency	European Class A+	European Class F/E(A+/A++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	836*706*1830	704*694*2000
Packaging(W*D*H)(mm)	893*735*1895	750*738*2111
Weight(Net/Gross kg)	94/103	95/104
Loading (40HQ)(pcs)	52	48



Model	DM-548WH
Total Capacity (L)	480
Fridge Compartment(L)	302
Freezer Compartment(L)	128
Defrosting	Automatic
Certification	CE/GS/CB
Energy Efficiency	European Class F/E(A+/A++)
Refrigerant	R600a
Product(W*D*H)(mm)	794*706*1817
Packaging(W*D*H)(mm)	854*763*1900
Weight(Net/Gross kg)	111/120
Loading (40HQ)(pcs)	56

Cross Door



Model	DM-794WHE	DM-761WHE
Total Capacity (L)	611	585
Fridge Compartment(L)	394	352
Freezer Compartment(L)	109	107
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F	European Class F
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	912*725*1785	912*725*1785
Packaging(W*D*H)(mm)	968*778*1901	968*778*1901
Weight(Net/Gross kg)	118.5/127.5	150/160
Loading (40HQ)(pcs)	36	36



Model	DM-585W3	DM-505W3
Total Capacity (L)	542	451
Fridge Compartment(L)	367	321
Freezer Compartment(L)	175	130
Defrosting	Automatic	Automatic
Certification	CE/CB/SASO	CE/CB/SASO
Energy Efficiency	European Class A+	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	911*706*1830	911*636*1830
Packaging(W*D*H)(mm)	968*750*1895	968*680*1895
Weight(Net/Gross kg)	94/104	100/110
Loading (40HQ)(pcs)	48	53

Cross Door



Model	DM-562WHE	DM-560WTE
Total Capacity (L)	452	431
Fridge Compartment(L)	292	298
Freezer Compartment(L)	80	133
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CB/ CE
Energy Efficiency	European Class F	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	794*706*1817	850*678*1850
Packaging(W*D*H)(mm)	854*763*1900	912*727*1906
Weight(Net/Gross kg)	102/110	102/113
Loading (40HQ)(pcs)	55	51



Model	DM-512WHE
Total Capacity (L)	427
Fridge Compartment(L)	256
Freezer Compartment(L)	149
Defrosting	Automatic
Certification	CE/GS/CB
Energy Efficiency	European Class F/E
Refrigerant	R600a
Product(W*D*H)(mm)	794*643*1817
Packaging(W*D*H)(mm)	855*723*1925
Weight(Net/Gross kg)	86/95
Loading (40HQ)(pcs)	57



Multi-Door
Series

Global Leading Brand For
High-end Kitchen Appliances

Multi-Door Series
Side by Side



Model	DW-781WTE	DW-606W3
Total Capacity (L)	601	570
Fridge Compartment(L)	394	377
Freezer Compartment(L)	207	193
Defrosting	Automatic	Automatic
Certification	CB/CE	CB/CE/SASO
Energy Efficiency	European Class A+	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	920*735*1768	911*706*1780
Packaging(W*D*H)(mm)	977*780*1855	968*750*1845
Weight(Net/Gross kg)	95/105	86/96
Loading (40HQ)(pcs)	48	48



Model	DW-741WSH	DW-692WH
Total Capacity (L)	562	560
Fridge Compartment(L)	370	365
Freezer Compartment(L)	192	167
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS
Energy Efficiency	European Class F	European Class F/E(A+/A++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	910*743*1787	910*743*1787
Packaging(W*D*H)(mm)	982*780*1877	979*777*1877
Weight(Net/Gross kg)	99/110	110/121
Loading (40HQ)(pcs)	48	48

Side by Side



Model	DW-606WHI3	DW-673WHE
Total Capacity (L)	552	519
Fridge Compartment(L)	175	334
Freezer Compartment(L)	377	185
Defrosting	Automatic	Automatic
Certification	CB/CE/SASO	CE/GS
Energy Efficiency	European Class A+	European Class F/E/D(A+/A++/A+++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	911*706*1780	910*643*1786
Packaging(W*D*H)(mm)	991*757*1845	966*720*1885
Weight(Net/Gross kg)	104/114	85/95
Loading (40HQ)(pcs)	48	48



Model	DW-456W3
Total Capacity (L)	432
Fridge Compartment(L)	165
Freezer Compartment(L)	267
Defrosting	Automatic
Certification	CB/CE/SASO
Energy Efficiency	European Class A+
Refrigerant	R600a
Product(W*D*H)(mm)	836*636*1780
Packaging(W*D*H)(mm)	893*700*1845
Weight(Net/Gross kg)	80/89
Loading (40HQ)(pcs)	55

Double Door Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

2

09-16

Automatic-Top Mount



Model	DDT-717WH	DDT-699WT
Total Capacity (L)	552	538
Fridge Compartment(L)	433	399
Freezer Compartment(L)	119	139
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS2018/E	A+
Certification	CE/GS/CB	CB/CE
Product(W*D*H)(mm)	794*685*1852	836*688*1850
Packaging(W*D*H)(mm)	840*731*1925	885*721*1932
Weight(Net/Gross kg)	81/89	87/93
Loading (40HQ)(pcs)	58	55



Model	DDT-651WH	DDT-605WT
Total Capacity (L)	501	465
Fridge Compartment(L)	384	364
Freezer Compartment(L)	117	101
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS2018 4/5 Star	A+
Certification	CB/SAA/GCC	CB/CE
Product(W*D*H)(mm)	794*685*1720	706*686*1850
Packaging(W*D*H)(mm)	843*734*1795	755*740*1930
Weight(Net/Gross kg)	78/85	72/80
Loading (40HQ)(pcs)	63	66

Automatic-Top Mount



Model	DDT-547WH	DDT-486WH
Total Capacity (L)	421	374
Fridge Compartment(L)	321	285
Freezer Compartment(L)	100	89
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	NOM/MEPS2018	NOM
Certification	NOM/CE/GS/CB/SAA	NOM
Product(W*D*H)(mm)	700*685*1720	700*635*1720
Packaging(W*D*H)(mm)	750*731*1825	750*680*1825
Weight(Net/Gross kg)	69/77	66/73
Loading (40HQ)(pcs)	67	70



Model	DDT-268WMU	DDT-326WH
Total Capacity (L)	252	247
Fridge Compartment(L)	198	195
Freezer Compartment(L)	54	52
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS 2 stars	F
Certification	CE/CB	CE/CB
Product(W*D*H)(mm)	545*623*1657	550*562*1676
Packaging(W*D*H)(mm)	580*675*1707	578*591*1728
Weight(Net/Gross kg)	55/61.5	47/51
Loading (40HQ)(pcs)	98	106

Automatic-Top Mount



Model	DDT-286WMU
Total Capacity (L)	203
Fridge Compartment(L)	143
Freezer Compartment(L)	60
Defrosting	Automatic
Refrigerant	R600a
Energy Class	MEPS 3 stars
Certification	CE/CB
Product(W*D*H)(mm)	545*623*1372
Packaging(W*D*H)(mm)	580*675*1423
Weight(Net/Gross kg)	48/53
Loading (40HQ)(pcs)	126

Automatic-Bottom Mount



Model	DDB-409WT	DDB-390WSHE
Total Capacity (L)	306	300
Fridge Compartment(L)	219	205
Freezer Compartment(L)	87	95
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	A+	F
Certification	CB/CE	CE/CB/GS
Product(W*D*H)(mm)	595*630*1850	595*592*1859
Packaging(W*D*H)(mm)	650*685*1929	645*628*1935
Weight(Net/Gross kg)	60/68	70/77
Loading (40HQ)(pcs)	72	76

Automatic-Bottom Mount



Model	DDB-530WH	DDB-435WH
Total Capacity (L)	408	334
Fridge Compartment(L)	309	245
Freezer Compartment(L)	99	89
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	A+	A+
Certification	SAA/CB	CE/GS
Product(W*D*H)(mm)	704*687*1723	595*681*2003
Packaging(W*D*H)(mm)	750*733*1825	647*691*2078
Weight(Net/Gross kg)	81/89	77/83.5
Loading (40HQ)(pcs)	67	54



Model	DDB-357WT
Total Capacity (L)	275
Fridge Compartment(L)	203
Freezer Compartment(L)	72
Defrosting	Automatic
Refrigerant	R600a
Energy Class	A+
Certification	CB/CE
Product(W*D*H)(mm)	545*615*1825
Packaging(W*D*H)(mm)	945*1215*2025
Weight(Net/Gross kg)	55/63
Loading (40HQ)(pcs)	96

Manual-Top Mount



Model	DDT-492U	DDT-472U
Total Capacity (L)	492	472
Fridge Compartment(L)	162	142
Freezer Compartment(L)	330	330
Defrosting	Manual	Manual
Refrigerant	R134a	R134a
Energy Class	A	A
Certification	CB	CE/CB/Uruguay Energy
Product(W*D*H)(mm)	705*597*1850	705*597*1770
Packaging(W*D*H)(mm)	772*692*1924	772*692*1844
Weight(Net/Gross kg)	62/66	60/64
Loading (40HQ)(pcs)	69	70



Model	DDT-358U	DDT-328U
Total Capacity (L)	358	328
Fridge Compartment(L)	108	108
Freezer Compartment(L)	250	220
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A	A
Certification	CE/CB/SASO	CE/CB
Product(W*D*H)(mm)	604*620*1645	604*620*1545
Packaging(W*D*H)(mm)	660*690*1700	660*690*1600
Weight(Net/Gross kg)	51/55	48/52
Loading (40HQ)(pcs)	70	79

Manual-Top Mount



Model	DDT-280L	DDT-210L
Total Capacity (L)	280	210
Fridge Compartment(L)	212	159
Freezer Compartment(L)	68	42
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A/A+/A++	A+/A++
Certification	CE/CB/GS	CE/CB
Product(W*D*H)(mm)	550*568*1700	550*568*1410
Packaging(W*D*H)(mm)	580*590*1730	580*590*1450
Weight(Net/Gross kg)	45/50	41/45
Loading (40HQ)(pcs)	106	144



Model	DDT-138L	DDT-88L
Total Capacity (L)	138	80
Fridge Compartment(L)	96	54
Freezer Compartment(L)	42	26
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A+/A++	A/A+
Certification	CE/CB	CE/CB
Product(W*D*H)(mm)	456*525*1304	456*525*850
Packaging(W*D*H)(mm)	490*565*1320	510*580*880
Weight(Net/Gross kg)	35/38	25/27.5
Loading (40HQ)(pcs)	192	288

Manual-Bottom Mount



Model	DDB-343(W)H
Total Capacity (L)	264
Fridge Compartment(L)	198
Freezer Compartment(L)	66
Defrosting	Manual
Refrigerant	R600a
Energy Class	A+
Certification	CE/CB/GS
Product(W*D*H)(mm)	554*558*1800
Packaging(W*D*H)(mm)	580*580*1869
Weight(Net/Gross kg)	53/58
Loading (40HQ)(pcs)	105



Model	DDB-215DH
Total Capacity (L)	165
Fridge Compartment(L)	122
Freezer Compartment(L)	43
Defrosting	Manual
Refrigerant	R600a
Energy Class	F
Certification	CE/CB/GS
Product(W*D*H)(mm)	495*562*1430
Packaging(W*D*H)(mm)	521*585*1500
Weight(Net/Gross kg)	41/49
Loading (40HQ)(pcs)	156

Single Door Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

3

17-24



Upright Freezer-Automatic



Model	DSD-767WH	DSL-468WH
Net Capacity(L)	590	360
Freezer(L)	590	/
Defrosting	Automatic	Automatic
Energy Class	DOE/E-STAR/SASO/C	European Class A+(A++)
Certification	GCC/SASO	CE/GS/CB/SONCAP/SASO
Refrigerant	R600a	R600a
Unit size WxDxH(mm)	830*733*1940	595*712*1855
Box Size WxDxH(mm)	880*783*2020	643*713*1948
Weight N/G (Kg)	83/93	71/82
Loading (40HQ)(pcs)	39	72



Model	DSD-338WH	DSD-242WH
Net Capacity(L)	260	194
Freezer(L)	260	194
Defrosting	Automatic	Automatic
Energy Class	European Class A+/A++	European Class F/E(A+/A++)
Certification	CE/GS/CB/SASO	CE/GS/CB
Refrigerant	R600a	R600a
Unit size WxDxH(mm)	595*712*1855	550*562*1691
Box Size WxDxH(mm)	643*713*1948	580*580*1755
Weight N/G (Kg)	77/85	60/66
Loading (40HQ)(pcs)	72	106

Upright Freezer-Automatic



Model	DSD-191WH
Net Capacity(L)	155
Freezer(L)	155
Defrosting	Automatic
Energy Class	European Class F/E(A+/A++)
Certification	CE/GS/CB
Refrigerant	R600a
Unit size WxDxH(mm)	550*562*1434
Box Size WxDxH(mm)	580*580*1498
Weight N/G (Kg)	46/50
Loading (40HQ)(pcs)	140



Upright Freezer-Manual

Model	DSD-230CS	DSD-180CS
Net Capacity(L)	230	180
Freezer(L)	230	180
Defrosting	Manual	Manual
Energy Class	A	A
Certification	CB/CE	CB/CE
Refrigerant	R134a	R134a
Unit size WxDxH(mm)	595*552*1715	545*550*1410
Box Size WxDxH(mm)	635*600*1780	575*580*1435
Weight N/G (Kg)	55/59	55/59
Loading (40HQ)(pcs)	80	144



Single Door Series

Global Leading Brand For High-end Kitchen Appliances

Single Door Series

Upright Freezer-Manual



Model	DSD-100D6	DSD-60D6
Net Capacity(L)	88	50
Freezer(L)	88	50
Defrosting	Manual	Manual
Energy Class	E	E
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	505*525*850	470*450*632
Box Size WxDxH(mm)	567*576*885	520*465*665
Weight N/G (Kg)	32/34	18/20
Loading (40HQ)(pcs)	251	459



Model	DSD-40D6
Net Capacity(L)	34
Freezer(L)	34
Defrosting	Manual
Energy Class	E
Certification	CE
Refrigerant	R134a/R600a
Unit size WxDxH(mm)	470*450*510
Box Size WxDxH(mm)	520*465*530
Weight N/G (Kg)	14/16
Loading (40HQ)(pcs)	560

Upright Freezer-Manual



Model	DSD-310C	DSD-280C
Net Capacity(L)	310	280
Freezer(L)	310	280
Defrosting	Manual	Manual
Energy Class	B	B
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	600*620*1690	600*620*1495
Box Size WxDxH(mm)	662*650*1732	662*650*1537
Weight N/G (Kg)	71/78	66/73
Loading (40HQ)(pcs)	80	101



Model	DSD-216C	DSD-182C
Net Capacity(L)	216	182
Freezer(L)	216	182
Defrosting	Manual	Manual
Energy Class	B	B
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	545*542*1450	545*542*1298
Box Size WxDxH(mm)	570*595*1494	570*595*1341
Weight N/G (Kg)	53/57.5	49/53
Loading (40HQ)(pcs)	142	155

Upright Freezer-Manual



Model	DSD-180L	DSD-80L
Net Capacity(L)	162	80
Freezer(L)	162	80
Defrosting	Manual	Manual
Energy Class	A/A+	A+
Certification	CB/CE	CB/CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	550*568*1410	480*490*831
Box Size WxDxH(mm)	580*590*1450	515*530*844
Weight N/G (Kg)	45/49	27/30
Loading (40HQ)(pcs)	144	276

Mini Fridge



Model	DSF-130D6	DSF-95D6
Net Capacity(L)	120	91
Defrosting	Manual	Manual
Energy Class	/	/
Certification	ETL DOE/CE	SAA /ETL DOE/CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	505*525*850	470*450*850
Box Size WxDxH(mm)	567*576*855	520*465*865
Weight N/G (Kg)	24.5/26.5	21.5/23.5
Loading (40HQ)(pcs)	251	338

Mini Fridge



Model	DSF-70D6	DSF-48D6
Net Capacity(L)	68	48
Defrosting	Manual	Manual
Energy Class	E	E
Certification	ETL /CE	SAA / ETL/CE/MEPS/PSE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	470*450*632	450*450*510
Box Size WxDxH(mm)	520*465*655	495*465*530
Weight N/G (Kg)	16.5/18	14.3/15.5
Loading (40HQ)(pcs)	459	580



Model	DSF-45D6
Net Capacity(L)	42
Defrosting	Manual
Energy Class	E
Certification	CE
Refrigerant	R134a/R600a
Unit size WxDxH(mm)	453*450*495
Box Size WxDxH(mm)	465*475*515
Weight N/G (Kg)	14.1/15.5
Loading (40HQ)(pcs)	620

Built-in Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

4

25-28



Double Door



Model	DDB-312WHE
Total Capacity (L)	240
Fridge Compartment(L)	183
Freezer Compartment(L)	57
Defrosting	Automatic
Refrigerant	R600a
Enery Efficiency	European Class A+ /A++
Certification	CE/GS/CB
Product(W*D*H)(mm)	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875
Weight(Net/Gross kg)	53/58
Loading (40HQ)(pcs)	109



Model	DDB-294WHE
Total Capacity (L)	226
Fridge Compartment(L)	148
Freezer Compartment(L)	78
Defrosting	Automatic
Refrigerant	R600a
Enery Efficiency	European Class A+
Certification	CE/GS/CB
Product(W*D*H)(mm)	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875
Weight(Net/Gross kg)	54/59
Loading (40HQ)(pcs)	109

Built-in Series

Global Leading Brand For
High-end Kitchen Appliances



Single Door



Model	DSL-179DH	DSF-133DH
Total Capacity (L)	137	120
Fridge Compartment(L)	137	103
Freezer Compartment(L)	/	17
Defrosting	Manual	Manual
Refrigerant	R600a	R600a
Energy Efficiency	European Class E/F(A+/A++)	European Class E/F(A+/A++)
Certification	CE/GS/CB	CE/GS/CB
Product(W*D*H)(mm)	595*545*818	595*545*818
Packaging(W*D*H)(mm)	628*570*888	628*570*888
Weight(Net/Gross kg)	28/31	30/33
Loading (40HQ)(pcs)	226	226



Model	DSD-126DH
Total Capacity (L)	95
Fridge Compartment(L)	/
Freezer Compartment(L)	95
Defrosting	Manual
Refrigerant	R600a
Energy Efficiency	European Class E/F(A+/A++)
Certification	CE/GS/CB
Product(W*D*H)(mm)	595*545*818
Packaging(W*D*H)(mm)	628*570*888
Weight(Net/Gross kg)	32/35
Loading (40HQ)(pcs)	226

Hotel Fridge

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

5

29-34



Absorption-Glass Door



Model	DSX-60B2E(T)	DSX-50B2E(T)
Net Capacity(L)	44.5	41
Input power	90W	90W
Energy Consumption(Kwh/24h)	1.22	1.22
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H /mm)	External:460*480*605 Internal:360*265*500	External:402*465*670 Internal:312*250*565
Packing(W*D*H /mm)	500*520*640	450*495*710
Kg (Net / Gross)	22/24.2	21/23.5
Loading (40HQ)(pcs)	368	438



Model	DSX-40B2E(T)	DSX-30B2E(T)
Net Capacity(L)	33	26
Input power	65W	65W
Energy Consumption(Kwh/24h)	1	1
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H /mm)	External:402*465*560 Internal:312*250*455	External:402*440*500 Internal:312*225*395
Packing(W*D*H /mm)	450*495*600	450*470*540
Kg (Net / Gross)	20/22	18/20
Loading (40HQ)(pcs)	496	620

Absorption-Solid Door



Model	DSX-50BT	DSX-60B2E
Net Capacity(L)	50	44.5
Input power	60W	90W
Energy Consumption(Kwh/24h)	0.8	0.74
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/ETL
Product(W*D*H /mm)	460*480*560	External:460*480*605 Internal:360*265*500
Packing(W*D*H /mm)	485*525*650	500*520*640
Kg (Net / Gross)	15/17	21.5/24
Loading (40HQ)(pcs)	384	368



Model	DSX-38BT	DSX-40B2E
Net Capacity(L)	40	33
Input power	60W	65W
Energy Consumption(Kwh/24h)	0.8	0.71
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/ETL
Product(W*D*H /mm)	435*455*545	External:402*465*560 Internal:312*250*455
Packing(W*D*H /mm)	495*475*600	450*495*600
Kg (Net / Gross)	15/17	17.5/19.5
Loading (40HQ)(pcs)	384	496

Absorption-Solid Door



Model	DSX-32BT	DSX-28BT
Net Capacity(L)	32	28
Input power	60W	60W
Energy Consumption(Kwh/24h)	0.8	0.8
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/GS/KC/PSE/ROHS
Product(W*D*H /mm)	435*435*460	400*390*440
Packing(W*D*H /mm)	475*475*520	425*435*500
Kg (Net / Gross)	14/15.5	12/13.5
Loading (40HQ)(pcs)	480	675



Model	DSX-30B2E
Net Capacity(L)	26
Input power	65W
Energy Consumption(Kwh/24h)	0.59
Certification	CE/CB/ETL
Product(W*D*H /mm)	Externa:402*440*500 Internal:312*225*395
Packing(W*D*H /mm)	450*470*540
Kg (Net / Gross)	16/18
Loading (40HQ)(pcs)	620

Thermoelectric



Model	DSL-40EB7(A)	DSL-40EB7(B)	DSL-40EB7(C)
Net Capacity(L)		32	
Input power		65W	
Energy Consumption(Kwh/24h)		0.6	
Certification		ETL / ROHS / CCC / CE / CB	
Product(W*D*H /mm)		405*443*545	
Packing(W*D*H /mm)		460*495*585	
Kg (Net / Gross)		13.2/14.2	
Loading (40HQ)(pcs)		549	



Model	DSL-30EB7(13)	DSL-30EB7(11)
Net Capacity(L)		26
Input power		65W
Energy Consumption(Kwh/24h)		0.28
Certification		ETL / ROHS / CCC / CE / CB
Product(W*D*H /mm)		380*440*465
Packing(W*D*H /mm)		430*515*520
Kg (Net / Gross)		9/10.4
Loading (40HQ)(pcs)		615

Thermoelectric



Model	DSL-32EB7(A)	DSL-32EB7(E)
Net Capacity(L)	25	
Input power	65W	
Energy Consumption(Kwh/24h)	0.39	
Certification	CE / CB / CCC / ETL / ROHS / REACH	
Product(W*D*H /mm)	380*445*475	
Packing(W*D*H /mm)	430*515*520	
Kg (Net / Gross)	11/12.5	
Loading (40HQ)(pcs)	615	



Model	DSL-24EB7(E)	DSL-25EB7(E)
Net Capacity(L)	24	20
Input power	60W	60W
Energy Consumption(Kwh/24h)	0.3	0.3
Certification	CE / CB / CCC / ETL / ROHS / REACH	CE / CB / CCC / ETL / ROHS / REACH
Product(W*D*H /mm)	380*380*475	402*351*448
Packing(W*D*H /mm)	430*460*520	457*403*488
Kg (Net / Gross)	10/11.5	9.8/11.1
Loading (40HQ)(pcs)	675	725

Retro Fridge

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

6

35-37

Double Door



Model	DDR-258RL	DDR-218RL
Total(L/cu.ft)	250	208
Fridge Compartment(L)	186	160
Freezer Compartment(L)	64	48
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A+/F
Refrigerant	R600a	R600a
Product Size(mm)	545*585*1843	550*620*1480
Packaging Size(mm)	580*645*1870	580*645*1510
Weight(Net/Gross kg)	52/58	41/45
Loading (40HQ)(pcs)	96	122



Model	DDR-138RL	DDR-088RL
Total(L/cu.ft)	136	80
Fridge Compartment(L)	96	54
Freezer Compartment(L)	40	26
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A+/F
Refrigerant	R600a	R600a
Product Size(mm)	470*510*1310	470*510*868
Packaging Size(mm)	490*540*1335	490*540*880
Weight(Net/Gross kg)	31/35	25/28
Loading (40HQ)(pcs)	192	288

Single Door



Model	DSR-268RL	DSR-135RL
Total(L/cu.ft)	242	118
Fridge Compartment(L)	242	108
Freezer Compartment(L)	/	10
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A++/F
Refrigerant	R600a	R600a
Product Size(mm)	550*620*1480	550*620*860
Packaging Size(mm)	580*645*1510	580*645*885
Weight(Net/Gross kg)	38/43	30/33
Loading (40HQ)(pcs)	122	211



Model	DSR-90RL
Total(L/cu.ft)	91
Fridge Compartment(L)	81
Freezer Compartment(L)	10
Defrost	Manual
Certificate	CB/CE
Energy Class	A++/F
Refrigerant	R600a
Product Size(mm)	455*535*825
Packaging Size(mm)	490*540*850
Weight(Net/Gross kg)	22/26
Loading (40HQ)(pcs)	288